



DueList Report

LEGACY 500

S/N 55000008 N142GZ

OWNER: AVESCO PTY. LTD.

ADDRESS: P.O. BOX 36
SPRINGSURE QLD 4722

OFFICE: 61-418-184131

FAX: 61-749-591667

OPERATOR: AVESCO PTY. LTD.

ADDRESS: P.O. BOX 36
SPRINGSURE QLD 4722

OFFICE: 61-418-184131

FAX: 61-749-591667

ANALYST: GOWTHAM THAMMISSETTY

EMAIL: GOWTHAM.THAMMISSETTY@CAMPSYSTEMS.COM
WWW.CAMPSYSTEMS.COM

-- (DIRECT)

+1-631-588-3200 (MAIN)

WWW.CAMPSYSTEMS.COM

PROJECTED: 6 MOS. to 06/30/2026

AIRCRAFT	SERIAL/REGNO: 55000008/N142GZ	MODEL: LEGACY 500	MANUFACTURER: EMBRAER
CERTIFICATION DATE: 27-JAN-2015		LAST ACTUALS:	PROJECTED:
		994.6 A/C HRS as of 15-DEC-2025	1293.78
		759 AFL as of 15-DEC-2025	968
		976.5 APH as of 29-NOV-2025	1276
APU	SERIAL/PART: P-110/70720189-1	MODEL: GTCP36-150(EMB)	MANUFACTURER: HONEYWELL
INSTALLED ON: 21-AUG-2014		LAST ACTUALS:	PROJECTED:
0 APU HRS 0 A/C HRS		976.5 APU HRS as of 29-NOV-2025	1275.68
0 APUS		1709 APUS as of 29-NOV-2025	1918
ENGINE NO. 1	SERIAL/PART: P131119/70040119-1	MODEL: AS907-3-1E-A2	MANUFACTURER: HONEYWELL
INSTALLED ON: 10-SEP-2014		LAST ACTUALS:	PROJECTED:
136.1 ENG. HRS 0 A/C HRS		994.6 ENG. HRS as of 15-DEC-2025	1293.78
105 ENC		764 ENC as of 15-DEC-2025	973
ENGINE NO. 2	SERIAL/PART: P131118/70040119-1	MODEL: AS907-3-1E-A2	MANUFACTURER: HONEYWELL
INSTALLED ON: 10-SEP-2014		LAST ACTUALS:	PROJECTED:
136.1 ENG. HRS 0 A/C HRS		994.6 ENG. HRS as of 15-DEC-2025	1293.78
105 ENC		764 ENC as of 15-DEC-2025	973



New Requirement/Flagged Items

Operator Review and Action Required

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of: 15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

These tasks or requirements have been added newly to your aircraft status. Please review them and approve or modify as appropriate. Please pay particular attention to the Base and Next Due Times for these tasks. It is important to note that any task that has insufficient information (marked by ?), will never come due unless the necessary information is provided by you.

PN & SN	Effective Date	Unit	Interval	Base Time		Next Due (ENG/APU) A/C	Disposition
				Current	Change To		
FAA 2025-25-02		APPLIANCE AD - OXYGEN - PORTABLE BREATHING EQUIPMENT - OPERATIONAL INSTRUCTIONS					AD ATA:35
	24-Dec-25	DAYS	T:30	24-Dec-25 (EBT)	_____	23-Jan-26 *	MANDATORY
		HRS			_____		
		AFL			_____		

NEW REQUIREMENT ADDED ON 10-DEC-25. RENEW BASE TIMES TO ENSURE CORRECT DUE TIMES. REF: AD

Name: Signature: Cert.# Date:

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
SB AS907-72-9084 R03 PARA (E) (2)(A)		NO. 1 ENGINE - DOWNLOAD ECU PER PARA 3.B.(3)						Bulletin ATA:72
	DAYS	30 (+5)		29-Nov-25	29-Dec-25	03-Jan-26	0 d (+5)	29-Dec-2025(7)
	HRS			990.7				
	ENC			761				
Disposition: CATEGORY 2		REF: BULLETINS						
SB AS907-72-9084 R03 PARA (E) (2)(A)		NO. 2 ENGINE - DOWNLOAD ECU PER PARA 3.B.(3)						Bulletin ATA:72
	DAYS	30 (+5)		29-Nov-25	29-Dec-25	03-Jan-26	0 d (+5)	29-Dec-2025(7)
	HRS			990.7				
	ENC			761				
Disposition: CATEGORY 2		REF: BULLETINS						
26-24-00-001		FUNCTIONAL CHECK COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)						Service ATA:26
PN:RT-A1200	MOS	12	Adj:-78d	17-Apr-25	28-Jan-26		30 d	28-Jan-2026
SN:Y-499111	HRS			954.4				
	AFL			727				
Disposition: WEIGHT CHECK		REF: AMM 26-24-01						
26-24-00-001		FUNCTIONAL CHECK PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE (WEIGHT CHECK)						Service ATA:26
PN:RT-A1200	MOS	12	Adj:-78d	17-Apr-25	28-Jan-26		30 d	28-Jan-2026
SN:Y-499031	HRS			954.4				
	AFL			727				
Disposition: WEIGHT CHECK		REF: AMM 26-24-01						
26-24-00-001		FUNCTIONAL CHECK VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE (WEIGHT CHECK)						Service ATA:26
PN:892480	MOS	12	Adj:-76d	17-Apr-25	30-Jan-26		32 d	30-Jan-2026
SN:45257	HRS			954.4				
	AFL			727				
Disposition: WEIGHT CHECK		REF: AMM 26-24-01						
26-24-02-001		RESTORE (OVERHAUL) OF VANITY PORTABLE FIRE EXTINGUISHING (WATER) BOTTLE						Service ATA:26
PN:892480	MOS	60		01-Feb-21	01-Feb-26		34 d	01-Feb-2026
SN:45257	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 26-24-01						
FAA 2024-16-16 PARA (G) ANAC (C) (LH)		REPLACE THE COCKPIT LH SIDE WINDOW BY A MODIFIED WINDOW						AD ATA:56
	MOS			EFF				06-Feb-2026
	HRS							
	AFL	T:50		EFF	804 *		45	
Disposition: MANDATORY		REF: AD						

? - Insufficient Information S - Suppressed Requirement * - Estimated Due(New Requirement)(EFF) - Effective C/W M - Manual Due (EBT) - Estimated Base Time



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
FAA 2024-16-16 PARA (G) ANAC (C) (RH)								
REPLACE THE COCKPIT RH SIDE WINDOW BY A MODIFIED WINDOW								AD ATA:56
	MOS			EFF				06-Feb-2026
	HRS							
	AFL	T:50		EFF	804 *		45	
Disposition: MANDATORY REF: AD								
35-21-00-001 OPERATIONAL CHECK OF THERAPEUTIC OXYGEN SYSTEM								
	MOS	36 (+15d/-15d)	Adj:10d	01-Feb-23	11-Feb-26	26-Feb-26	44 d (+15)	Service ATA:35 11-Feb-2026
	HRS			790.57				
	AFL			605				
Disposition: CATEGORY 9 REF: AMM 35-21-00								
05-30-25 12 MONTH INSPECTION								
	MOS	12 (+15d/-15d)	Adj:-59d	17-Apr-25	17-Feb-26	04-Mar-26	50 d (+15)	Package ATA:05 17-Feb-2026
	HRS			954.4				
	AFL			727				
REF: SMR 05-30-25								
SB 550-24-0011 ELECTRICAL POWER - MAIN DC ELECTRIC GENERATOR V-BAND CLAMP - TORQUE APPLICATION, SERVICE BULLETIN								
	MOS	T:12			17-Feb-26 (M)		50 d	Bulletin ATA:24 17-Feb-2026
	HRS							
	AFL							
Disposition: CATEGORY 02 - RECOMMENDED REF: BULLETINS								
C27-12-01-002 LUBRICATION OF AILERON POWER CONTROL UNITS (PCUS)								
	MOS	12		23-Mar-25	23-Mar-26		84 d	Service ATA:27 23-Mar-2026
	HRS	750		954.4	1704.4		709.8	
	AFL			727				
REF: AMM 12-21-10								
C27-22-01-002 LUBRICATION OF RUDDER POWER CONTROL UNIT (PCUS)								
	MOS	12		23-Mar-25	23-Mar-26		84 d	Service ATA:27 23-Mar-2026
	HRS	750		954.4	1704.4		709.8	
	AFL			727				
REF: AMM 12-21-12								
C27-32-01-002 LUBRICATION OF ELEVATOR POWER CONTROL UNIT (PCUS)								
	MOS	12		23-Mar-25	23-Mar-26		84 d	Service ATA:27 23-Mar-2026
	HRS	750		954.4	1704.4		709.8	
	AFL			727				
REF: AMM 12-21-11								

? - Insufficient Information S - Suppressed Requirement * - Estimated Due(New Requirement)(EFF) - Effective C/W M - Manual Due (EBT) - Estimated Base Time



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
25-62-02-002		RESTORATION (OVERHAUL) DIVAN NO. 1 LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60			04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337705	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) DIVAN NO. 2 LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337706	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) DIVAN NO. 3 LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337707	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) LAVATORY LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337704	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) LH NO. 1 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337708	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) LH NO. 2 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337717	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) LH NO. 3 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337716	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						

? - Insufficient Information S - Suppressed Requirement * - Estimated Due(New Requirement)(EFF) - Effective C/W M - Manual Due (EBT) - Estimated Base Time



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
25-62-02-002		RESTORATION (OVERHAUL) LH NO. 4 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337710	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) RH NO. 1 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337714	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-62-02-002		RESTORATION (OVERHAUL) RH NO. 2 PASSENGER LIFE VEST						Service ATA:25
PN:RSS-301	MOS	60		08-Jul-21	04-Apr-26 (M)		96 d	04-Apr-2026
SN:2337711	HRS							
	AFL							
Disposition: OVERHAUL		REF: AMM 25-62-02						
25-61-00-001		OPERATIONAL CHECK OF EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM						Service ATA:25
	MOS	12		17-Apr-25	17-Apr-26		109 d	17-Apr-2026
	HRS			954.4				
	AFL			727				
		REF: AMM 25-61-00						
25-61-00-002		GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER (ELT)						Service ATA:25
	MOS	12		17-Apr-25	17-Apr-26		109 d	17-Apr-2026
	HRS			954.4				
	AFL			727				
		REF: AMM 25-61-00						
33-51-01-001		FUNCTIONAL CHECK FORWARD ELECTRONIC COMPARTMENT EMERGENCY LIGHTING BATTERY						Service ATA:33
PN:7450LS-00	MOS	12		17-Apr-25	17-Apr-26		109 d	17-Apr-2026
SN:005546	HRS			954.4				
	AFL			727				
		REF: AMM 33-51-01						
33-51-01-001		FUNCTIONAL CHECK LEFT RACK EMERGENCY LIGHTING BATTERY						Service ATA:33
PN:7450LS-00	MOS	12		17-Apr-25	17-Apr-26		109 d	17-Apr-2026
SN:006309	HRS			954.4				
	AFL			727				
		REF: AMM 33-51-01						

?-Insufficient Information S -Suppressed Requirement * -Estimated Due(New Requirement)(EFF) - Effective C/W M -Manual Due (EBT) - Estimated Base Time



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
35-21-01-003		FUNCTIONAL CHECK OF THE THERAPEUTIC OXYGEN CYLINDER REGULATOR VALVE - VANITY						Service ATA:35
	MOS	60			28-Apr-26 (M)		120 d	28-Apr-2026
	HRS							
	AFL							
REF: AMM 35-21-01								
35-21-01-901		RESTORATION (HYDROSTATIC TEST) OF THE THERAPEUTICAL OXYGEN CYLINDER. - VANITY						Service ATA:35
PN:807998-01	MOS	60		28-Apr-21	28-Apr-26		120 d	28-Apr-2026
SN:P16070337	HRS							
	AFL							
Disposition: OVERHAUL REF: AMM 35-21-01								
C35-10-02-001		OPERATIONAL CHECK OF CREW OXYGEN MASK AND STOWAGE BOX						Service ATA:35
	MOS	13		17-Apr-25	17-May-26		139 d	17-May-2026
	HRS	825		954.4	1779.4		784.8	
	AFL			727				
REF: AMM 35-10-00								
C35-10-02-002		DETAILED INSPECTION OF CREW OXYGEN MASKS						Service ATA:35
	MOS	13		17-Apr-25	17-May-26		139 d	17-May-2026
	HRS	825		954.4	1779.4		784.8	
	AFL			727				
REF: AMM 35-10-02								
24-36-01-002		FUNCTIONAL CHECK OF THE NO. 1 MAIN BATTERY						Service ATA:24
PN:416470	MOS	12		22-May-25	22-May-26		144 d	22-May-2026
SN:202207487	HRS	750		962.45	1712.45		717.9	
	AFL			733				
REF: AMM 24-36-01								
24-36-01-002		FUNCTIONAL CHECK OF THE NO. 2 MAIN BATTERY						Service ATA:24
PN:416470	MOS	12		22-May-25	22-May-26		144 d	22-May-2026
SN:202202422	HRS	750		962.45	1712.45		717.9	
	AFL			733				
REF: AMM 24-36-01								
26-24-01-001		DISCARD COCKPIT PORTABLE FIRE EXTINGUISHING BOTTLE						Service ATA:26
PN:RT-A1200	MOS	144		01-Jun-14	01-Jun-26		154 d	01-Jun-2026
SN:Y-499111	HRS							
	AFL							
Disposition: LIFE LIMIT REF: AMM 26-24-01								



Due List Report

Model: LEGACY 500 Serial: 55000008 RegNo: N142GZ HRS: 994.6 AFL: 759 As Of:
15-Dec-2025 Operator: AVESCO PTY. LTD.

Report Date: 29-Dec-2025

PN & SN	Unit	Interval	TSX/Adj.	C/W	Next Due (ENG/APU) A/C	Max. Limit	Remaining	Est.Due
26-24-01-001		DISCARD PASSENGER CABIN PORTABLE FIRE EXTINGUISHING BOTTLE						Service ATA:26
PN:RT-A1200	MOS	144		01-Jun-14	01-Jun-26		154 d	01-Jun-2026
SN:Y-499031	HRS							
	AFL							
Disposition: LIFE LIMIT			REF: AMM 26-24-01					